

	Model	EW 340E	
	Code Production	917919	
Interface:			
			
			
	Overall Dimension (Width-Depth-Height) *open	mm	436 x 535 (870*)x670 (820+legs)
	Packaging Dimension (WxDxH)	mm	520x610x840
	Gross weight	Kg	35
	Net weight	Kg	32
	Volume	mc	0,27
	Rack size	mm	400x400
	Distance between rails	mm	385x385
	Rack's drives/frame construction		flat, special for 14" racks
	Max door /hood opening	mm	320
	Max glasses/plate Height	mm	300
	General construction		single skin
	Door/hood Construction		double skin
	Tank construction		welded
	Tank volume	liter	8
	Tank heating element	W	630
	Tank surface strainers		Yes-composite
	Wash pump type		double flow
	Wash pump power	W	200
	Wash temperature	°C	60
	Boiler type		pressurized
	Boiler volume	liter	2,6
	Back-flow system		valve
	Boiler heating element	W	2.730
	Rinse booster pump		NO
	Rinse booster pump power	W	-
	Rinse temperature	°C	65
	Rinse water consumption	Liter /rack	1,8
	Optimal external water pressure	bar	2 - 4
	Drain system		partial drain
	Drain pump		standard built in
	Rinse aid dispenser	peristaltic	YES
	Detergent dispenser	peristaltic	YES
	Wash cycle	sec	60 -120 -150
	Self cleaning – drain		YES
	Electric Power	W	3.600

	<i>Electric Connection</i>	<i>V - ph - Hz</i>	<i>240V 1N 50Hz</i>
	<i>Fuse</i>	<i>A</i>	<i>15</i>
	<i>Water softner</i>		<i>NO</i>
▶	<i>wire rack 14"x17"</i>	<i>n°1</i>	<i>706139</i>
	<i>Special legs (h15cm)</i>	<i>n°4</i>	<i>461020</i>
	<i>Electric cable "Australia plug"</i>	<i>n°1</i>	<i>YES</i>
	<i>Drain hose</i>	<i>n°1</i>	<i>YES</i>
	<i>Fill hose "WaterMark"</i>	<i>n°1</i>	<i>YES</i>



